

bitemesoftware RealWorld Sample Booklet

This booklet provides a brief introduction to the bitemesoftware Real World sample application.

1 Table of Contents

1.	Table of Contents	1-2
2.	Welcome to bitemesoftware RealWorld	3-4
3.	The RealWorld User Interface	5
4.	Opening Views	6
5.	Views	7
5.1.	Customers	7
5.2.	Employees	7
5.3.	Products	7
5.4.	Suppliers	7
5.5.	Orders	7
5.6.	Browser	7
6.	Customers	8
6.1.	Adding a customer	8
6.2.	Editing a customer	8
6.3.	Deleting a customer	8
7.	Employees	9
7.1.	Adding an employee	9
7.2.	Editing an employee	9
7.3.	Deleting an employee	9
8.	Products	10
8.1.	Adding a product	10
8.2.	Editing an employee	10
8.3.	Deleting a product	10
9.	Suppliers	11
9.1.	Adding a supplier	11
9.2.	Editing a supplier	11
9.3.	Deleting a supplier	11
10.	Orders	12
10.1.	Adding an order	12
10.2.	Editing an order	12

10.3. Deleting an order	12
11. Reference	13
11.1. CommandBar Reference	13
11.2. HotKeys Reference	13
12. Categories	14
12.1. Adding a new category	14
12.2. Editing a category	14
12.3. Deleting a category	14
13. Shipping	15
13.1. Adding a new shipper	15
13.2. Editing a shipper	15
13.3. Deleting a shipper	15
14. Scribble Pad	16
14.1. Changing the line color	16
14.2. Changing the line width	16
15. Browser	17
15.1. Moving back in the history list	17
15.2. Moving forward in the history list	17
16. Index	18-21

2 Welcome to bitemesoftware RealWorld

RealWorld is a sample application built as a demonstration of HelpStudio functionality, including context sensitive help and dynamic help.

This help file contains a number of Topics, images, a Booklet definition, a number of Build Flags and 2 Build Profiles. The Build Flags and the 2 Build Profiles are included to illustrate how you can generate multiple outputs from a single project. Use is made in several topics of the HelpStudio Dynamic Image, Drop Down Section and Note Box Widgets (this topic contains a Dynamic Image Widget and a Drop Down Section Widget).

Screen Shot



Functional Overview

The RealWorld sample application includes the following areas of functionality:

Customers

Adding a customer (Section 6.1)

Editing a customer (Section 6.2)

Deleting a customer (Section 6.3)

Employees

Adding an employee (Section 7.1)

Editing an employee (Section 7.2)

Deleting an employee (Section 7.3)

Products

Adding a product (Section 8.1)

Editing a product (on-line documentation)

Deleting a product (Section 8.3)

Suppliers

Adding a supplier (Section 9.1)

Editing a supplier (Section 9.2)

Deleting a supplier (Section 9.3)

Orders

Adding an order (Section 10.1)

Editing an order (Section 10.2)

Deleting an order (Section 10.3)

Categories

Adding a new category (Section 12.1)

Editing a category (Section 12.2)

Deleting a category (Section 12.3)

Shipping

Adding a new shipper (Section 13.1)

Editing a shipper (Section 13.2)

Deleting a shipper (Section 13.3)

Scribble

Changing the line color (Section 14.1)

Changing the line width (Section 14.2)

3 The RealWorld User Interface

The RealWorld user interface consists of several areas, outlined below:



- 1 **Standard toolbar** Contains common action buttons and shortcuts to RealWorld views
- 2 **Browser toolbar** Contains commands for working with the RealWorld browser
- 3 **Shortcuts** Displays a list of views and Internet shortcuts
- 4 **Dynamic help** Displays context help on the current view
- 5 **Workspace** Displays the current view, it could be a browser page, or a data entry window

4 Opening Views

RealWorld has several core views and a basic browser interface. All core features can be accessed by the Shortcuts window displayed on the left hand side of the RealWorld user interface.

To open, simply click the corresponding node in the shortcuts treeview. If the window is not currently open, or has been closed, it will be opened. If it is already open, then it will be activated.

Clicking a internet shortcut will open/activate the browser window and display the specified page. Only one browser window can be open at any one time.

Displaying a list of open windows

- Open the **Window** menu. A list of the first 10 open windows will be listed.

- or -

1. Open the **Window** menu and click **More Windows**.
2. The dialog displayed will list all open windows, allowing you to easily view and switch between windows

5 Views

5.1 The customers view

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

5.2 The employees view

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

5.3 The products view

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

5.4 The suppliers view

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

5.5 The orders view

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

5.6 Browser

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

6 Customers


6.1 Adding a customer


1. Display the **customers view (Section 5.1)** and click the **Add**  button.

6.2 Editing a customer

1. Display the **customers view (Section 5.1)** and select a customer from the list
2. Click the **Edit**  button.

6.3 Deleting a customer

1. Display the **customers view (Section 5.1)** and select a customer from the list
2. Click the **Delete**  button.
3. Answer **Yes** to the confirmation prompt to remove the record.


 Please note that removing a customer will not remove any related orders or modify other records linked to that customer.

7 Employees


7.1 Adding an employee


1. Display the **employees view (Section 5.2)** and click the **Add**  button.

7.2 Editing an employee

1. Display the **employees view (Section 5.2)** and select an employee from the list
2. Click the **Edit**  button.

7.3 Deleting an employee

1. Display the **employees view (Section 5.2)** and select an employee from the list
2. Click the **Delete**  button.
3. Answer **Yes** to the confirmation prompt to remove the record.


 Please note that removing an employee will not remove any related orders or modify other records linked to that employee.

8 Products


8.1 Adding a product


1. Display the **products view (Section 5.3)** and click the **Add**  button.

8.2 Editing an employee

1. Display the **employees view (Section 5.2)** and select an employee from the list
2. Click the **Edit**  button.

8.3 Deleting a product

1. Display the **products view (Section 5.3)** and select a product from the list
2. Click the **Delete**  button.
3. Answer **Yes** to the confirmation prompt to remove the record.

 Please note that removing a product will not remove any related orders or modify other records linked to that customer.

9 Suppliers


9.1 Adding a supplier


1. Display the **suppliers view (Section 5.4)** and click the **Add**  button.

9.2 Editing a supplier

1. Display the **suppliers view (Section 5.4)** and select a supplier from the list
2. Click the **Edit**  button.

9.3 Deleting a supplier

1. Display the **suppliers view (Section 5.4)** and select a supplier from the list
2. Click the **Delete**  button.
3. Answer **Yes** to the confirmation prompt to remove the record.


 Please note that removing a supplier will not remove any related orders or modify other records linked to that customer.

10 Orders


10.1 Adding an order

1. Display the **orders view (Section 5.5)** and click the **Add**  button.

10.2 Editing an order












1. Display the **orders view (Section 5.5)** and select an order from the list
2. Click the **Edit**  button.

10.3 Deleting an order

1. Display the **orders view (Section 5.5)** and select an order from the list
2. Click the **Delete**  button.
3. Answer **Yes** to the confirmation prompt to remove the record.

11 Reference

11.1 CommandBar Reference

	Displays a preview of the printed output
 F1	Displays the help file for bitemesoftware RealWorld
	Displays the RealWorld default page
	Displays the previous page in the browser history
	Displays the next page in the browser history
 Ctrl+A	Adds a new record
 Ctrl+E	Edits the selected record
 Ctrl+D	Removes the selected record
	Send feedback on RealWorld to bitemesoftware
 Ctrl+P	Prints the contents of the current window
 Alt+F4	Quit bitemesoftware RealWorld

11.2 HotKeys Reference

F1	Displays the help file for bitemesoftware RealWorld
Ctrl+A	Adds a new record
Ctrl+E	Edits the selected record
Ctrl+D	Removes the selected record
Ctrl+P	Prints the contents of the current window
Alt+F4	Quit bitemesoftware RealWorld

12 Categories

12.1 Adding a new category

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

12.2 Editing a category

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

12.3 Deleting a category

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

13 Shipping

13.1 Adding a new shipper

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

13.2 Editing a shipper

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

13.3 Deleting a shipper

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

14 Scribble Pad

14.1 Changing the line color

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

14.2 Changing the line width

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

15 Browser

15.1 Moving back in the history list

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

15.2 Moving forward in the history list

In the evaluation version of HelpStudio only the first 20 topics are fully output in a booklet build.

16 Index

- ActiveX, 3-4**
- Adding a customer, 8**
- Adding a new category, 14**
- Adding a new shipper, 15**
- Adding a product, 10**
- Adding a supplier, 11**
- Adding an employee, 9**
- Adding an order, 12**
- Backwards, 17**
- bitemesoftware, 3-4**
- bitemesoftware RealWorld Sample Booklet, 0**
- Browser, 7**
 - Moving backwards, 17
 - Moving Forwards, 17
- Browser**
 - Moving back in the history list, 17
 - Moving forward in the history list, 17
- Categories**
 - Adding a new category, 14
 - Deleting a category, 14
 - Editing a category, 14
- Category**
 - Adding, 14
 - Deleting, 14
 - Editing, 14
- Changing the line color, 16**
- Changing the line width, 16**
- Color, 16**
- Command, 13**
- CommandBar Reference, 13**
- Component, 3-4**
- Concept application, 3-4**
- Customer**
 - Adding, 8
 - Deleting, 8
 - Editing, 8
 - Viewing, 7
- Customers**
 - Adding a customer, 8
 - Deleting a customer, 8
 - Editing a customer, 8
- Customers View, 7**
- Deleting a category, 14**
- Deleting a customer, 8**

- Deleting a product, 10**
- Deleting a shipper, 15**
- Deleting a supplier, 11**
- Deleting an employee, 9**
- Deleting an order, 12**
- Displaying a list of open windows, 6**
- Editing a category, 14**
- Editing a customer, 8**
- Editing a shipper, 15**
- Editing a supplier, 11**
- Editing an employee, 9**
- Editing an order, 12**
- Employee**
 - Adding, 9
 - Deleting, 9
 - Editing, 9
 - Viewing, 7
- Employees**
 - Adding an employee, 9
 - Deleting an employee, 9
 - Editing an employee, 9
- Employees View, 7**
- Forwards, 17**
- Getting Started**
 - Opening Views, 6
- Hot Keys, 13**
- HotKeys Reference, 13**
- Keyboard, 13**
- Line, 16 , 16**
- List, 6**
- Map, 5**
- Moving back in the history list, 17**
- Moving forward in the history list, 17**
- Opening a view, 6**
- Opening Views, 6**
- Order**
 - Adding, 12
 - Deleting, 12
 - Editing, 12
 - Viewing, 7
- Orders**
 - Adding an order, 12
 - Deleting an order, 12
 - Editing an order, 12
- Orders view, 7**
- Overview, 5**

Page, 7**Product**

Adding, 10

Delete, 10

View, 7

Products

Adding a product, 10

Deleting a product, 10

Products View, 7**RealWorld, 3-4 , 6****Reference, 13 , 13****Reference**

CommandBar Reference, 13

HotKeys Reference, 13

Scribble

Line Color, 16

Width, 16

Scribble

Changing the line color, 16

Changing the line width, 16

Shipper

Adding, 15

Deleting, 15

Editing, 15

Shipping

Adding a new shipper, 15

Deleting a shipper, 15

Editing a shipper, 15

Shortcut Keys, 13**Supplier**

Adding, 11

Deleting, 11

Editing, 11

Viewing, 7

Suppliers

Adding a supplier, 11

Deleting a supplier, 11

Editing a supplier, 11

Suppliers View, 7**The customers view, 7****The employees view, 7****The orders view, 7****The products view, 7****The RealWorld User Interface, 5****The suppliers view, 7****User Interface, 5**

View, 6

Customers, 7

Employees, 7

Orders, 7

Products, 7

Suppliers, 7

Views

Browser, 7

The customers view, 7

The employees view, 7

The orders view, 7

The products view, 7

The suppliers view, 7

Web, 7

Welcome, 3-4

Welcome to bitemesoftware RealWorld, 3-4

Width, 16

Window, 6